



# RISE™

CONCEALABLE  
ARMOR SYSTEM



## FEMALE SIZE AND FIT GUIDE

### A Superior Fit Matters

It's vitally important to ensure body armor is properly sized. A ballistic armor vest that fits properly will provide maximum comfort, mobility, performance and protection. A vest that doesn't fit may fail in any or all of these categories, with potentially life-threatening consequences.

Every custom RISE carrier has been engineered to accommodate full range of motion while providing premium safety and performance. Simply follow the step-by-step sizing process for a superior fit.

### Communication is Paramount

Open and on-going dialogue between the sizer and user helps achieve the best-fit vest and a comfortable experience. If the user has worn body armor in the past, be sure to discuss any areas of satisfaction, concern or improvement prior to sizing.

### Important details to note before getting started:

1. Read this guide in its entirety prior to sizing. Watch the RISE female sizing video on our Vimeo channel to see a detailed sizing experience in action.
2. Use a cloth measuring tape for all measurements. Pull the tape so it is snug, but not tight to the skin. For chest and girth measurements, check that the tape does not run high or low, but is parallel to the ground.
3. Always have another person do the measuring to ensure accuracy. Conducting solo measurements will compromise the integrity of the measurements.
4. Take measurements wearing standard active-duty undergarments including a bra, undershirt, uniform shirt, uniform pants and complete duty belt with equipment loaded in all holsters and holders.
5. Take and record actual measurements. Do not round up or down.

**Please measure carefully. Inaccurate measurements may require size modifications which could incur additional expense and delay delivery.**



Thank you for measuring with care! You will soon be protected by a custom ballistic armor vest engineered to offer you a superior fit. Once we have received your sizing form, we will email your estimated delivery date.

If you have questions at any time, please contact us:  
sales@angelarmor.com / 970 235 2961

### Contact

First Name \_\_\_\_\_

Last Name \_\_\_\_\_

Department Affiliation \_\_\_\_\_

Title/Position \_\_\_\_\_

Badge Number \_\_\_\_\_

Phone Number \_\_\_\_\_

Email Address \_\_\_\_\_

Contact Preference (check one)  Phone  Email

### Shipping Address

Street \_\_\_\_\_

City \_\_\_\_\_

State \_\_\_\_\_ Zip \_\_\_\_\_

Country \_\_\_\_\_

### Order Information

Purchased From \_\_\_\_\_

Purchase Date \_\_\_\_\_

Quote Number \_\_\_\_\_

Purchase Order \_\_\_\_\_

### Measurements

Date of Measurement \_\_\_\_\_

Measured By (person's name) \_\_\_\_\_

Location of Fitting \_\_\_\_\_

User Gender **FEMALE**

User Age \_\_\_\_\_

User Height \_\_\_\_FEET \_\_\_\_INCHES

User Weight \_\_\_\_\_ LBS

Do you intend to gain/lose 10 lbs or more over the next 6 months?

Yes  No

### Payment Method

Cash  Check  Credit  Other

### 1 Select Your Product

RISE Premium NIJ Level IIIA

### 2 Customize Your Protection

Elevate your protection with the Truth SNAP™ plate system. The two-piece design protects against NIJ Level III threats, including the AK-47, 5.56x45mm M193 and .308, and NIJ Spike levels as well.

#### Select Your Product (indicate quantity of each plate)

Truth 44S, 5x8


Truth 47S, 5x8

Truth 308S, 5x8

Truth 44S, 7x9

Truth 47S, 7x9

Truth 308S, 7x9



### 3 Extras (indicate quantity of each)

Clips  Belt  Extra Carrier

### 4 Size and Fit Exceptions

Notes:

### 5 I acknowledge that I have read and understand Angel Armor's Alteration and Exchange Process.

USER INITIALS

### Alterations and Exchanges

- Contact your Dealer/Distributor within 30 days after original ship date to receive free alterations.
- Armor must be unmarked and in "like new" condition.
- Alteration charges will apply if the vest is received 30 days after the purchase date.

### STANDING

Stand straight, arms relaxed:

**For best accuracy, please have another person measure you.**


Follow these guidelines to complete your measurements.

**What to Wear:**

- ▶ Standard undergarments including type of bra worn while on duty
- ▶ Uniform pants and uniform shirt
- ▶ Duty belt with equipment loaded in holsters and holders

**Tools Needed:**

- ▶ Soft measuring tape
- ▶ Armless chair




#### 1 Full Chest/Bust Measurement

INCHES

CUP SIZE


Wrap the measuring tape under the users arms and around the widest part of her chest. Check that the tape is parallel to the ground. Ask the user to take two deep breaths. At the apex of her second breath, adjust the measuring tape and record that measurement.



#### 2 Total Girth Measurement

INCHES

Wrap the measuring tape around the user's waist. Have the user place an index finger inside her belly button, and rest the measuring tape on top of her index finger. Check that the tape is parallel to the ground. Ask the user to take two deep breaths. At the apex of her second breath, record that measurement.



#### 3 Select Side Panel Overlap (check one box)

 0"

 1"


 2"

(recommended)

For optimal officer safety, Angel Armor recommends an overlap of 2". Overlap other than 2" is at user's discretion.

Initial here if 0" or 1" overlap is checked.

USER INITIALS



#### 4 Back Panel Length Measurement

INCHES


With the user standing, measure from the base of the uniform collar on the back down to the top edge of the duty belt, and record that measurement. Reassure the user that this length will be optimized for comfort and protection, and this measurement alone does not represent the final panel length.

**DUTY BELT DRIVEN!**

It is especially important that this measurement is conducted with the user wearing her duty belt. This sizing guide will be rejected if measurements are conducted without a duty belt.

### SEATED


Standard seated position, relaxed upper body:



#### 5 Bust Upper Measurement (clavicle to bust)

INCHES


Place the end of the soft measuring tape at the bottom edge of the clavicle. Have the user pull the tape down to her nipple, and record that measurement.



#### 6 Upper Chest Measurement

INCHES


With the user seated and arms raised to 90 degrees, measure the distance between her armpits, and record that measurement.



#### 7 Bust Lower Measurement (bust to gun belt)

INCHES

Place the end of the measuring tape on the nipple and measure down to the top of the duty belt. Indicate the location one half inch up from the top of the duty belt. Work up from there, stopping in half-inch increments, and use your thumb to gently indicate the increments. Confirm the user's comfort level at every half-inch increment until she is satisfied with the front panel length. Record that measurement.



#### 8 Apex to Apex Measurement

INCHES

Have the user place the soft measuring tape across her nipple line, and record that measurement. This measurement is critical to ensure the structured cups are fitted in the correct position for each individual user.

#### 9 Accessory Accommodations

Do you plan to wear trauma plates with your vest?  FRONT  BACK  BOTH

If yes, what size and brand? Size \_\_\_\_\_ Brand \_\_\_\_\_

#### 10 Sign To Acknowledge & Approve

By submitting this information, I acknowledge and approve that it is presented as accurately as possible. I also understand that inaccurate information and measurements may require size modifications, which could incur additional expense to the purchaser and delay delivery.

User Signature \_\_\_\_\_ Date \_\_\_\_\_

Measurer's Signature \_\_\_\_\_ Date \_\_\_\_\_

#### 11 Submit Your Sizing Form

**MAIL TO:**

Angel Armor  
Attn: Sales/Sizing  
4557 Denrose Court  
Fort Collins, CO 80524

**EMAIL TO:**

sales@angelarmor.com

For Internal Use Only

Front Panel

Back Panel

Carrier

Belt