



RISE™

CONCEALABLE
ARMOR SYSTEM



MALE SIZE AND FIT GUIDE

A Superior Fit Matters

It's vitally important to ensure body armor is properly sized. A ballistic armor vest that fits properly will provide maximum comfort, mobility, performance and protection. A vest that doesn't fit may fail in any or all of these categories, with potentially life-threatening consequences.

Every custom RISE carrier has been engineered to accommodate full range of motion while providing premium safety and performance. Simply follow the step-by-step sizing process for a superior fit.

Communication is Paramount

Open and on-going dialogue between the sizer and user helps achieve the best-fit vest and a comfortable experience. If the user has worn body armor in the past, be sure to discuss any areas of satisfaction, concern or improvement prior to sizing.

Important details to note before getting started:

1. Read this guide in its entirety prior to sizing. Watch the RISE male sizing video on our Vimeo channel to see a detailed sizing experience in action.
2. Use a cloth measuring tape for all measurements. Pull the tape so it is snug, but not tight to the skin. For chest and girth measurements, check that the tape does not run high or low, but runs parallel to the ground.
3. Always have another person do the measuring to ensure accuracy. Conducting solo measurements will compromise the integrity of the measurements.
4. Take measurements wearing a standard active-duty undershirt, uniform shirt, uniform pants and complete duty belt with equipment loaded in all holsters and holders.
5. Take and record actual measurements. Do not round up or down.

Please measure carefully. Inaccurate measurements may require size modifications which could incur additional expense and delay delivery.



Thank you for measuring with care! You will soon be protected by a custom ballistic armor vest engineered to offer you a superior fit. Once we have received your sizing form, we will email your estimated delivery date.

If you have questions at any time, please contact us:
sales@angelarmor.com / 970 235 2961

Contact

First Name _____

Last Name _____

Department Affiliation _____

Title/Position _____

Badge Number _____

Phone Number _____

Email Address _____

Contact Preference (check one) Phone Email

Shipping Address

Street _____

City _____

State _____ Zip _____

Country _____

Order Information

Purchased From _____

Purchase Date _____

Quote Number _____

Purchase Order _____

Measurements

Date of Measurement _____

Measured By (person's name) _____

Location of Fitting _____

User Gender **MALE**

User Age _____

User Height ____ FEET ____ INCHES

User Weight _____ LBS

Do you intend to gain/lose 10 lbs or more over the next 6 months?

Yes No

Payment Method Cash Check Credit Other

Alterations and Exchanges

- Contact your Dealer/Distributor within 30 days after original ship date to receive free alterations.
- Armor must be unmarked and in "like new" condition.
- Alteration charges will apply if the vest is received 30 days after the purchase date.

1

Select Your Product (check one box)

- RISE Ultra Premium NIJ Level IIIA
- RISE Ultra Premium NIJ Level II
- RISE Premium NIJ Level IIIA
- RISE Premium NIJ Level II


2

Customize Your Protection

Elevate your protection with the Truth SNAP™ plate system. The two-piece design protects against NIJ Level III threats, including the AK-47, 5.56x45mm M193 and .308, and NIJ Spike levels as well.

Select Your Product (indicate quantity of each plate)

- | | | |
|--------------------------------------------------------|--------------------------------------------------------|---------------------------------------------------------|
| <input type="checkbox"/> Truth 44S, 5x8 | <input type="checkbox"/> Truth 47S, 5x8 | <input type="checkbox"/> Truth 308S, 5x8 |
| <input type="checkbox"/> Truth 44S, 7x9 | <input type="checkbox"/> Truth 47S, 7x9 | <input type="checkbox"/> Truth 308S, 7x9 |
| <input type="checkbox"/> Truth 44S, 8x10 | <input type="checkbox"/> Truth 47S, 8x10 | <input type="checkbox"/> Truth 308S, 8x10 |
| <input type="checkbox"/> Truth 44S, 8x10 Shooter's Cut | <input type="checkbox"/> Truth 47S, 8x10 Shooter's Cut | <input type="checkbox"/> Truth 308S, 8x10 Shooter's Cut |



3

Extras (indicate quantity of each)

- Clips Belt Extra Carrier

4

Size and Fit Exceptions

Notes:

5

I acknowledge that I have read and understand Angel Armor's Alteration and Exchange Process.

USER INITIALS

STANDING



Stand straight, arms relaxed:

Follow these guidelines to complete your measurements.

For best accuracy, please have another person measure you.


What to Wear:

- ▶ Standard undershirt, uniform shirt and uniform pants
- ▶ Duty belt with equipment loaded in holsters and holders

Tools Needed:

- ▶ Soft measuring tape
- ▶ Armless chair

Questions? We can help you measure for a superior fit. Contact us.




1 Full Chest Measurement



INCHES

Wrap the measuring tape under the arms and around the widest part of the user's chest. Check that the tape is parallel to the ground. Ask the user to take two deep breaths. At the apex of their second breath, adjust the measuring tape and record that measurement.




2 Total Girth Measurement



INCHES

Wrap the measuring tape around the user's waist. Have the user place an index finger inside their belly button, and rest the measuring tape on top of their index finger. Check that the tape is parallel to the ground. Ask the user to take two deep breaths. At the apex of their second breath, adjust the measuring tape and record that measurement.



3 Select Side Panel Overlap (check one box)


0" 1" 2" (recommended)

For optimal officer safety, Angel Armor recommends an overlap of 2". Overlap other than 2" is at user's discretion.

Initial here if 0" or 1" overlap is checked.



USER INITIALS



4 Back Panel Length Measurement



INCHES

With the user standing, measure from the base of the uniform collar on the back down to the top edge of the duty belt, and record that measurement. Reassure the user that this length will be optimized for comfort and protection, and this measurement alone does not represent the final panel length.


DUTY BELT DRIVEN!

It is especially important that this measurement is conducted with the user wearing his duty belt. This sizing guide will be rejected if measurements are conducted without a duty belt.

SEATED



Standard seated position, relaxed upper body:



5 Central Panel Measurement



INCHES

Measure from the notch at the top of the sternum down to the top of the duty belt. Move the measuring tape up a half inch from the top of the duty belt to avoid any equipment. Working up from that position, stop in half-inch increments. Use your thumb to gently indent the tape into the user's abdomen at each increment, explaining that the location of your thumb will reflect the location of the bottom of the front vest panel. Confirm their comfort level at every half-inch increment until the user is satisfied with the height, and record that measurement.

6 Accessory Accommodations

Do you plan to wear trauma plates with your vest? FRONT BACK BOTH

If yes, what size and brand? Size _____ Brand _____

7 Sign To Acknowledge & Approve

By submitting this information, I acknowledge and approve that it is presented as accurately as possible. I also understand that inaccurate information and measurements may require size modifications, which could incur additional expense to the purchaser and delay delivery.

User Signature _____ Date _____

Measurer's Signature _____ Date _____

8 Submit Your Sizing Form

MAIL TO:

Angel Armor
Attn: Sales/Sizing
4557 Denrose Court
Fort Collins, CO 80524

EMAIL TO:

sales@angelarmor.com

For Internal Use Only

Front Panel

Back Panel

Carrier

Belt